



Series 88-89

Lockers and compartment lockers



Lockers
see page 287



Multi-purpose lockers for every-day use
see page 289



Compartment lockers
see page 290



Standard colour:

Ral 7035



5-year Guarantee



Compartment width: 300mm



Lockers

without central partition

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in 3 different widths, with punched slots at the top and bottom to ensure good ventilation.

Doors, in two sizes, are fitted as standard with cylinder lock and 2 keys. Locking device is supplied on request.

Important notice: all surfaces and components are painted for longer lasting protection.

Width mm	Depth mm	Height mm	No. of doors	Standard doors Art. Nr.	Perforated doors Art. Nr.
605	500	1750	2	88-23002	88-23102
900	500	1750	3	88-23003	88-23103
1195	500	1750	4	88-23004	88-23104

Other combinations of colours can be supplied on request.

Compartment width: 400mm



Width mm	Depth mm	Height mm	No. of doors	Standard doors Art. Nr.	Perforated doors Art. Nr.
805	500	1750	2	88-24002	88-24102
1195	500	1750	3	88-24003	88-24103

Doors supplied with Cylinder lock



Replacement lock
Art.Nr. 06-00118

Standard colour:

Ral 7035





Series 88-89

Compartment width: 400mm - with central partition



Width mm	Depth mm	Height mm	No. of doors	Standard doors Art. Nr.	Perforated doors Art. Nr.
805	500	1750	2	88-34002	88-34102
1195	500	1750	3	88-34003	88-34103

Other combinations of colours can be supplied on request.



Compartment width: 500mm - with central partition



Width mm	Depth mm	Height mm	No. of doors	Standard doors Art. Nr.	Perforated doors Art. Nr.
585	500	1750	1	88-63001	88-63101
1145	500	1750	2	88-63002	88-63102

Other combinations of colours can be supplied on request.

Lockers

with central partition

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in 2 different widths, with punched slots at the top and bottom to ensure good ventilation.

Doors, in two sizes, are fitted as standard with cylinder lock and 2 keys. Locking device is supplied on request

Important notice: all surfaces and components are painted for longer lasting protection.

Standard colour:

Ral 7035



Replacement
lock
Art.Nr. 06-00118