


## Group 10

Universal shelving system with drawers and shelves







# Universal shelving system with drawers and shelves






Universal shelving system with vertical drawers see page 194




Shelving system with drawers and shelves , depth 36 Eh see page 304



**Standard colours:**  
 Ral 5012 Ral 6011 Ral 7035  
  


  
 5-year Guarantee



**For your safety all shelving systems must be secured to the floor or wall**



## Technical specifications



### Internal dimensions

A Bay	Bay width 714 mm = 36 Eh	Usable width= 661 mm
	Bay width 1020 mm = 54 Eh	Usable width= 967 mm

B Shelving system depth	553 mm
	663 mm with Sliding doors
	616 mm with Roller shutter doors
	608 mm with Leaf doors


C Shelving system height with	1000 mm	1450 mm	2000 mm	2200 mm	2500 mm	3000 mm	
	Sliding doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-
	Roller shutter doors	-	-	2250 mm	2450 mm	2750 mm	-
	Leaf doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-

Uprights are slotted in increments of 25 mm

### Load capacity

Shelving system height mm	No. of universal shelves	Usable height	Distance between upper - central-lower shelf mm	Load capacity per upright Kg
1000	2	900	-	5500
1450	2	1350	-	5000
2000	2	1900	-	4500
2000	3	1850	800-1200	5500
2200	3	2050	900-1300	5500
2500	3	2350	1050-1450	5250
3000	3	2850	1300-1700	5000

**i** Load capacity is intended for evenly distributed loads



### Side panels

Made of high-quality steel.  
Vertical finishing panels for end of bay-run.

Height mm	Depth mm	Width mm	No. of panels	Art. Nr.
1000	553	23	1	<b>33-55100</b>
1450	553	23	1	<b>33-55145</b>
2000	553	23	2	<b>33-55200</b>
2200	553	23	2	<b>33-55220</b>
2500	553	23	2	<b>33-55250</b>
3000	553	23	2	<b>33-55300</b>

Colours: see colour chart at the bottom of the page




### Back panels

Made of high-quality steel

To be used as an alternative to cross bracing fitted onto uprights to stabilise the unit bay.

Upright height mm	Bay 36 Eh Art. Nr.	Bay 45 Eh Art. Nr.	Bay 54 Eh Art. Nr.	Bay 64 Eh Art. Nr.	Bay 78 Eh Art. Nr.
1000	<b>32-13610</b>	-	<b>32-15410</b>	-	-
1450	<b>32-13614</b>	-	<b>32-15414</b>	-	-
2000	<b>32-13620</b>	-	<b>32-15420</b>	-	-
2200	<b>32-13622</b>	-	<b>32-15422</b>	-	-
2500	<b>32-13625</b>	-	<b>32-15425</b>	-	-
3000	<b>32-13630</b>	-	<b>32-15430</b>	-	-

Colours: see colour chart at the bottom of the page



### Uprights

Made of high-quality steel,  
slotted in increments of 25 mm

Height mm	Depth mm	Width mm	Art. Nr.
1000	553	53	<b>33-50010</b>
1450	553	53	<b>33-50014</b>
2000	553	53	<b>33-50020</b>
2200	553	53	<b>33-50022</b>
2500	553	53	<b>33-50025</b>
3000	553	53	<b>33-50030</b>

Colours: see colour chart at the bottom of the page



M10x110


Pair  
Art. Nr.  
**06-00046**



### Cross bracings

Made of galvanised steel. To be used as an alternative to back panels, fitted onto uprights to stabilise the unit bay.

Bay width mm	Eh	Shelving height mm	Art. Nr.
714	36	1000-1450	<b>32-13710</b>
714	36	2000-3000	<b>32-13720</b>
1020	54	1000-1450	<b>32-15510</b>
1020	54	2000-3000	<b>32-15520</b>




For safety, cross bracings must be used every third bay-section.

#### Standard colours:

Ral 5012 Ral 6011 Ral 7035



For your safety all shelving systems must be secured to the floor or wall




### Universal shelves

Made of high-quality steel

Bay width		Usable width	Usable depth	Height	Plain Art. Nr.
mm	Eh	mm	mm	mm	
714	36	661	552	50	<b>33-51036</b>
1020	54	967	552	50	<b>33-51054</b>

Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page



### Adjustable shelves

Made of high-quality steel


Bay width		Usable width	Usable depth	Height	Slotted Art. Nr.
mm	Eh	mm	mm	mm	
714	36	661	552	35	<b>33-52035</b>
1020	54	967	552	35	<b>33-52055</b>

Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page

Hooks (spare part)-Kit : 16 pieces

**52-00006**




### Shelf dividers

Made of high-quality steel

Depth	Height	Art. Nr.
mm	mm	
537	95	<b>33-52010</b>
537	145	<b>33-52015</b>
537	195	<b>33-52020</b>

Colour: Light grey RAL 7035




### Adjustable shelves for locking system

Made of high-quality steel. Lateral supports included

Bay width		Usable width	Usable depth	Height	Art. Nr.
mm	Eh	mm	mm	mm	
714	36	661	467	35	<b>33-52038</b>
1020	54	967	467	35	<b>33-52058</b>

Load capacity: 70kg with load evenly distributed

Colours: see colour chart at the bottom of the page




### Shelf cover panels

Made of high-quality steel

Depth	Width	Art. Nr.
mm	mm	
444	80	<b>33-53001</b>

Colour: Light grey RAL 7035




### Lower shelves

Made of high-quality steel

Bay width		Usable width	Usable depth	Height	Art. Nr.
mm	Eh	mm	mm	mm	
714	36	661	467	48	<b>33-50036</b>
1020	54	967	467	48	<b>33-50054</b>

Load capacity: 150kg with load evenly distributed

Colours: see colour chart at the bottom of the page



### Shelf side panels

Made of high-quality steel


Depth	Height	Art. Nr.
mm	mm	
506	150	<b>33-53015</b>
506	200	<b>33-53020</b>
506	250	<b>33-53025</b>

Colour: Light grey RAL 7035


**i** Load capacity is intended for evenly distributed loads

**i** All components are supplied with fixings

Standard colours:  
 Ral 5012 Ral 6011 Ral 7035



**Upper shelves A**  
**Lower shelves B**  
for partial height



**Upper shelves C**  
**Central shelves D**  
**Lower shelves B**  
for full height

	Bay width		Usable width mm	Usable depth mm	Height mm	Art. Nr.
	mm	Eh				
<b>A</b>	714	36	661	552	50	<b>33-51132</b>
<b>B</b>	714	36	661	552	50	<b>33-51134</b>
<b>A</b>	1020	54	967	552	50	<b>33-51152</b>
<b>B</b>	1020	54	967	552	50	<b>33-51154</b>


Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page

	Bay width		Usable width mm	Usable depth mm	Height mm	Art. Nr.
	mm	Eh				
<b>C</b>	714	36	661	552	50	<b>33-51131</b>
<b>D</b>	714	36	661	552	50	<b>33-51133</b>
<b>B</b>	714	36	661	552	50	<b>33-51134</b>
<b>C</b>	1020	54	967	552	50	<b>33-51151</b>
<b>D</b>	1020	54	967	552	50	<b>33-51153</b>
<b>B</b>	1020	54	967	552	50	<b>33-51154</b>


Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page



**Drawer locking systems**  
partial height

Usable height mm	Art. Nr.
300	<b>33-53030</b>
450	<b>33-53045</b>
600	<b>33-53060</b>
700	<b>33-53070</b>
750	<b>33-53075</b>
900	<b>33-53090</b>
1050	<b>33-53105</b>
1225	<b>33-53122</b>
1350	<b>33-53135</b>
1525	<b>33-53152</b>



**Drawer locking systems**  
full height

Shelving height mm	Usable height mm	Art. Nr.
2000	900+950	<b>33-53200</b>
2200	900+1150	<b>33-53220</b>
2500	900+1450	<b>33-53250</b>
3000	900+1950	<b>33-53300</b>

**Standard colours:**

Ral 5012 Ral 6011 Ral 7035



**i** Load capacity is intended for evenly distributed loads

**i** All components are supplied with fixings

## 36 x 27 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Art. Nr.
50 S	36	33	60	11-33050
75 S	61	52	80	11-33075
75 T	54	52	200	11-33076
100 S	86	77	100	11-33100
100 T	79	77	200	11-33101
125 S	111	77	100	11-33125
125 T	104	77	200	11-33126
150 S	136	127	100	11-33150
150 T	129	127	200	11-33151
200 S	186	177	100	11-33200
200 T	179	177	200	11-33201
250 T	229	177	200	11-33251
300 S	286	277	100	11-33300
300 T	279	277	200	11-33301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



### Card insert and cellophane (spare part)

For drawers: 36 Eh Art. Nr. 06-00365  
Kit: 30 pieces



Partitioning material see page 55

## 54 x 27 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Art. Nr.
50 S	36	33	60	11-53050
75 S	61	52	80	11-53075
75 T	54	52	200	11-53076
100 S	86	77	100	11-53100
100 T	79	77	200	11-53101
125 S	111	77	100	11-53125
125 T	104	77	200	11-53126
150 S	136	127	100	11-53150
150 T	129	127	200	11-53151
200 S	186	177	100	11-53200
200 T	179	177	200	11-53201
250 T	229	177	200	11-53251
300 S	286	277	100	11-53300
300 T	279	277	200	11-53301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



### Card insert and cellophane (spare part)

For drawers: 54 Eh Art. Nr. 06-00545  
Kit: 30 pieces




Partitioning material see page 89


### Standard colours:

Ral 5012 Ral 6011 Ral 7035





## S Retractable shelves



Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Height mm	Bay width mm	Eh	Load capacity kg*	Extension %	Art. Nr.
75	714	36	100	85	<b>11-33984</b>
75	714	36	200	100	<b>11-33985</b>
75	1020	54	100	85	<b>11-53984</b>
75	1020	54	200	100	<b>11-53985</b>

\* with load evenly distributed

Colours: see colour chart at the bottom of the page



## C Tool holder frames for drawer

Made of steel

### C Tool holder frame


Width mm	Depth mm	Drawer Eh	No. of rows	Art. Nr.
584	447	36x36	3	<b>30-43336</b>
890	447	54x36	3	<b>30-43354</b>

Colour: Light grey RAL 7035

### D Frame support, pair

For taper length mm	Height mm	Depth 27 Eh Art. Nr.
80-160	135-165	<b>30-43310</b>
185-220	195-225	<b>30-43317</b>

Colour: Light grey RAL 7035



Height

#### Standard colours:


Ral 5012 Ral 6011 Ral 7035



## Tool holders



Tool type	RED Art. Nr.	No. of tools per tool holder	No. of tools per frame Art. Nr 30-43336	No. of tools per frame Art. Nr 30-43354
ISO-SK 25	30-51025	4	15	24
ISO-SK 30	30-51030	1	24	39
ISO-SK 40	30-51040	1	24	39
ISO-SK 45	30-51045	1	18	30
ISO-SK 50	30-51050	1	15	24
HSK 32	30-51432	1	24	42
HSK 40	30-51440	1	24	42
HSK 50	30-51450	1	24	42
HSK 63	30-51463	1	24	39
HSK 80	30-51480	1	18	27
HSK 100	30-51499	1	15	24
CAPTO C3	30-51603	4	12	21
CAPTO C4	30-51604	1	24	42
CAPTO C5	30-51605	1	24	42
CAPTO C6	30-51606	1	21	33
CAPTO C8	30-51608	1	18	27
VDI 20	30-51120	1	24	42
VDI 30	30-51130	1	24	39
VDI 40	30-51140	1	24	36
VDI 50	30-51150	1	18	30
VDI 60	30-51160	1	15	24
58 mm	30-50058	-	24	42
65 mm	30-50065	-	24	39
75 mm	30-50075	-	21	33
87 mm	30-50087	-	18	27
105 mm	30-50105	-	15	24
120 mm	30-50120	-	12	21




**Leaf doors**

Made of high-quality sheet steel. Equipped with safety cylinder lock with 2 keys.

This door cannot be fitted directly next to roller shutter or sliding doors.


Shelving system height mm	Bay width 36 Eh Art. Nr.	Bay width 45 Eh Art. Nr.	Bay width 54 Eh Art. Nr.	Bay width 64 Eh Art. Nr.	Bay width 78 Eh Art. Nr.
<b>Starter bay</b>					
1000	32-33100	-	32-35100	-	-
2000	32-33200	-	32-35200	-	-
2200	32-33220	-	32-35220	-	-
2500	32-33250	-	32-35250	-	-
<b>Extension bay</b>					
1000	32-33100-A	-	32-35100-A	-	-
2000	32-33200-A	-	32-35200-A	-	-
2200	32-33220-A	-	32-35220-A	-	-
2500	32-33250-A	-	32-35250-A	-	-

Colours: see colour chart at the bottom of the page



## A Roller shutter doors

Ideal for areas where access is restricted. Fully lockable vertical units fitted to upper part of shelving system, consisting of robust metal housing and plastic horizontal profiles with hand grip for easy operation. Equipped with safety cylinder lock with 2 keys.



This door cannot be fitted directly next to sliding or leaf doors.

## A Roller shutter doors

Shelving system height mm	Bay width 36 Eh Art. Nr.	Bay width 2x36 Eh Art. Nr.	Bay width 45 Eh Art. Nr.
2000	32-43200	32-47200	-
2200	32-43220	32-47220	-
2500	32-43250	32-47250	-

Shelving system height mm	Bay width 54 Eh Art. Nr.	Bay width 64 Eh Art. Nr.	Bay width 78 Eh Art. Nr.
2000	32-45200	-	-
2200	32-45220	-	-
2500	32-45250	-	-

Colour of plastic profiles: Light grey

Colour of roller shutter housing: see colour chart at the bottom of the page

## B Side panels for roller shutter doors

Shelving system height mm	Right side 27 Eh Art. Nr.	Left side 27 Eh Art. Nr.
2000	32-52200	32-52201
2200	32-52220	32-52221
2500	32-52250	32-52251


Colours: see colour chart at the bottom of the page

### Standard colours:

Ral 5012 Ral 6011 Ral 7035



All components are supplied with fixings



### Central panels for uprights

Made of high-quality sheet steel

To be fitted into the uprights, ideal for closing internal sections with drawers and shelves.

Height mm	Depth mm	Width mm	Art. Nr.
1000	553	53	<b>33-59110</b>
1450	553	53	<b>33-59145</b>
2000	553	53	<b>33-59120</b>
2200	553	53	<b>33-59122</b>
2500	553	53	<b>33-59125</b>
3000	553	53	<b>33-59130</b>

Colours: see colour chart at the bottom of the page




### Work surfaces

in Multiplex

Bay width mm	Eh	Usable width mm	Usable depth mm	Thickness mm	Art. Nr.
714	36	661	553	40	<b>33-52336</b>
1020	54	967	553	40	<b>33-52354</b>

### Sliding doors

**A**



110 mm

**A**

**B**

Made of high-quality sheet steel. Positioned over 2 bays, sliding doors run on sealed-roller bearings in tracks fitted to the top and the bottom of the shelving unit. Equipped with safety lock and 2 keys.



This door cannot be fitted directly next to roller shutter or leaf doors.

#### **A** Sliding doors

Shelving system height mm	Bay width <b>2x36 Eh</b> Art. Nr.	Bay width <b>2x45 Eh</b> Art. Nr.	Bay width <b>2x54 Eh</b> Art. Nr.	Bay width <b>2x64 Eh</b> Art. Nr.	Bay width <b>2x78 Eh</b> Art. Nr.
1000	<b>32-23100</b>	-	<b>32-25100</b>	-	-
2000	<b>32-23200</b>	-	<b>32-25200</b>	-	-
2200	<b>32-23220</b>	-	<b>32-25220</b>	-	-
2500	<b>32-23250</b>	-	<b>32-25250</b>	-	-

Colours: see colour chart at the bottom of the page

#### **B** Finishing cover panels for sliding doors

Shelving height mm	Art. Nr.
1000	<b>32-20100</b>
2000	<b>32-20200</b>
2200	<b>32-20220</b>
2500	<b>32-20250</b>

Colours: see colour chart at the bottom of the page



#### Standard colours:

Ral 5012 Ral 6011 Ral 7035





## Universal shelving system with drawers and shelves




Universal shelving system with vertical drawers see page 194




Shelving system with drawers and shelves, depth 27 Eh see page 294



**Standard colours:**  
 Ral 5012 Ral 6011 Ral 7035





5-year Guarantee



For your safety all shelving systems must be secured to the floor or wall



## Technical specifications



## Internal dimensions

A Bay	Bay width 714 mm = 36 Eh	Usable width= 661 mm
	Bay width 867 mm = 45 Eh	Usable width= 814 mm
	Bay width 1020 mm = 54 Eh	Usable width= 967 mm
	Bay width 1190 mm = 64 Eh	Usable width= 1137 mm
	Bay width 1428 mm = 78 Eh	Usable width= 1375 mm

B Shelving system depth	706 mm
	816 mm with Sliding doors
	776 mm with Roller shutter doors
	761 mm with Leaf doors


C Shelving system height with	1000 mm	1450 mm	2000 mm	2200 mm	2500 mm	3000 mm	
	Sliding doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-
	Roller shutter doors	-	-	2250 mm	2450 mm	2750 mm	-
	Leaf doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-

Uprights are slotted in increments of 25 mm

## Load capacity

Shelving system height mm	No. of universal shelves	Usable height	Distance between upper - central-lower shelf mm	Load capacity per upright Kg
1000	2	900	-	5500
1450	2	1350	-	5000
2000	2	1900	-	4500
2000	3	1850	800-1200	5500
2200	3	2050	900-1300	5500
2500	3	2350	1050-1450	5250
3000	3	2850	1300-1700	5000

**i** Load capacity is intended for evenly distributed loads



### Side panels

Made of high quality steel.  
Vertical finishing panels for end of bay-run

Height mm	Depth mm	Width mm	No. of panels	Art. Nr.
1000	706	23	1	<b>33-75100</b>
1450	706	23	1	<b>33-75145</b>
2000	706	23	2	<b>33-75200</b>
2200	706	23	2	<b>33-75220</b>
2500	706	23	2	<b>33-75250</b>
3000	706	23	2	<b>33-75300</b>

Colours: see colour chart at the bottom of the page




### Back panels

Made of high-quality steel

To be used as an alternative to cross bracing fitted onto uprights to stabilise the unit bay.

Upright height mm	Bay 36 Eh Art. Nr.	Bay 45 Eh Art. Nr.	Bay 54 Eh Art. Nr.	Bay 64 Eh Art. Nr.	Bay 78 Eh Art. Nr.
1000	<b>32-13610</b>	<b>32-14510</b>	<b>32-15410</b>	<b>32-16410</b>	<b>32-17810</b>
1450	<b>32-13614</b>	<b>32-14514</b>	<b>32-15414</b>	<b>32-16414</b>	<b>32-17814</b>
2000	<b>32-13620</b>	<b>32-14520</b>	<b>32-15420</b>	<b>32-16420</b>	<b>32-17820</b>
2200	<b>32-13622</b>	<b>32-14522</b>	<b>32-15422</b>	<b>32-16422</b>	<b>32-17822</b>
2500	<b>32-13625</b>	<b>32-14525</b>	<b>32-15425</b>	<b>32-16425</b>	<b>32-17825</b>
3000	<b>32-13630</b>	<b>32-14530</b>	<b>32-15430</b>	<b>32-16430</b>	<b>32-17830</b>

Colours: see colour chart at the bottom of the page



### Uprights

Made of high-quality steel,  
slotted in increments of 25 mm

Height mm	Depth mm	Width mm	Art. Nr.
1000	706	53	<b>33-70010</b>
1450	706	53	<b>33-70014</b>
2000	706	53	<b>33-70020</b>
2200	706	53	<b>33-70022</b>
2500	706	53	<b>33-70025</b>
3000	706	53	<b>33-70030</b>

Colours: see colour chart at the bottom of the page



M10x110


Pair  
Art. Nr.  
**06-00046**



### Cross bracings

Made of galvanised steel. To be used as an alternative to back panels, fitted onto uprights to stabilise the unit bay.

Bay width mm	Eh	Shelving height	Art. Nr.
714	36	1000-1450	<b>32-13710</b>
714	36	2000-3000	<b>32-13720</b>
867	45	1000-1450	<b>32-14610</b>
867	45	2000-3000	<b>32-14620</b>
1020	54	1000-1450	<b>32-15510</b>
1020	54	2000-3000	<b>32-15520</b>
1190	64	1000	<b>32-16510</b>
1190	64	1450	<b>32-16514</b>
1190	64	2000-3000	<b>32-16520</b>
1428	78	1000	<b>32-17910</b>
1428	78	1450	<b>32-17914</b>
1428	78	2000-3000	<b>32-17920</b>




For safety, cross bracings must be used every third bay-section.

#### Standard colours:

Ral 5012 Ral 6011 Ral 7035



For your safety all shelving systems must be secured to the floor or wall.




### Universal shelves

Made of high-quality steel

Bay width mm	Eh	Usable width mm	Usable depth mm	Height mm	Plain Art. Nr.
714	36	661	705	50	<b>33-71036</b>
867	45	814	705	50	<b>33-71045</b>
1020	54	967	705	50	<b>33-71054</b>
1190	64	1137	705	50	<b>33-71064</b>
1428	78	1375	705	50	<b>33-71078</b>

Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page



### Adjustable shelves

Made of high-quality steel


Bay width mm	Eh	Usable width mm	Usable depth mm	Height mm	Slotted Art. Nr.
714	36	661	705	35	<b>33-72035</b>
867	45	814	705	35	<b>33-72045</b>
1020	54	967	705	35	<b>33-72055</b>
1190	64	1137	705	35	<b>33-72065</b>
1428	78	1375	705	35	<b>33-72075</b>

Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page

Hooks (spare part)-Kit : 16 pieces

**52-00006**




### Shelf dividers

Made of high-quality steel

Depth mm	Height mm	Art. Nr.
690	95	<b>33-72010</b>
690	145	<b>33-72015</b>
690	195	<b>33-72020</b>

Colour: Light grey RAL 7035




### Adjustable shelves for locking system

Made of high-quality steel. Lateral supports included

Bay width mm	Eh	Usable width mm	Usable depth mm	Height mm	Art. Nr.
714	36	661	620	35	<b>33-72038</b>
867	45	814	620	35	<b>33-72048</b>
1020	54	967	620	35	<b>33-72058</b>
1190	64	1137	620	35	<b>33-72068</b>
1428	78	1375	620	35	<b>33-72078</b>

Load capacity: 70kg with load evenly distributed

Colours: see colour chart at the bottom of the page




### Shelf cover panels

Made of high-quality steel

Depth mm	Width mm	Art. Nr.
597	80	<b>33-73001</b>

Colour: Light grey RAL 7035




### Lower shelves

Made of high-quality steel

Bay width mm	Eh	Usable width mm	Usable depth mm	Height mm	Art. Nr.
714	36	661	680	48	<b>33-70036</b>
867	45	814	680	48	<b>33-70045</b>
1020	54	967	680	48	<b>33-70054</b>
1190	64	1137	680	48	<b>33-70064</b>
1428	78	1375	680	48	<b>33-70078</b>

Load capacity: 150kg with load evenly distributed

Colours: see colour chart at the bottom of the page



### Shelf side panels

Made of high-quality steel

Depth mm	Height mm	Art. Nr.
659	150	<b>33-73015</b>
659	200	<b>33-73020</b>
659	250	<b>33-73025</b>

Colour: Light grey RAL 7035

**i** Load capacity is intended for evenly distributed loads


**i** All components are supplied with fixings

Standard colours:  
 Ral 5012 Ral 6011 Ral 7035




# Series 33

# 36 Eh



**Upper shelves A**  
**Lower shelves B**  
for partial height



**Upper shelves C**  
**Central shelves D**  
**Lower shelves B**  
for full height

	Bay width		Usable width mm	Usable depth mm	Height mm	Art. Nr.
	mm	Eh				
<b>A</b>	714	36	661	705	50	<b>33-71132</b>
<b>B</b>	714	36	661	705	50	<b>33-71134</b>
<b>A</b>	867	45	814	705	50	<b>33-71142</b>
<b>B</b>	867	45	814	705	50	<b>33-71144</b>
<b>A</b>	1020	54	967	705	50	<b>33-71152</b>
<b>B</b>	1020	54	967	705	50	<b>33-71154</b>
<b>A</b>	1190	64	1137	705	50	<b>33-71162</b>
<b>B</b>	1190	64	1137	705	50	<b>33-71164</b>
<b>A</b>	1428	78	1375	705	50	<b>33-71172</b>
<b>B</b>	1428	78	1375	705	50	<b>33-71174</b>


Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page

	Bay width		Usable width mm	Usable depth mm	Height mm	Art. Nr.
	mm	Eh				
<b>C</b>	714	36	661	705	50	<b>33-71131</b>
<b>D</b>	714	36	661	705	50	<b>33-71133</b>
<b>B</b>	714	36	661	705	50	<b>33-71134</b>
<b>C</b>	867	45	814	705	50	<b>33-71141</b>
<b>D</b>	867	45	814	705	50	<b>33-71143</b>
<b>B</b>	867	45	814	705	50	<b>33-71144</b>
<b>C</b>	1020	54	967	705	50	<b>33-71151</b>
<b>D</b>	1020	54	967	705	50	<b>33-71153</b>
<b>B</b>	1020	54	967	705	50	<b>33-71154</b>
<b>C</b>	1190	64	1137	705	50	<b>33-71161</b>
<b>D</b>	1190	64	1137	705	50	<b>33-71163</b>
<b>B</b>	1190	64	1137	705	50	<b>33-71164</b>
<b>C</b>	1428	78	1375	705	50	<b>33-71171</b>
<b>D</b>	1428	78	1375	705	50	<b>33-71173</b>
<b>B</b>	1428	78	1375	705	50	<b>33-71174</b>


Load capacity: 200kg with load evenly distributed

Colours: see colour chart at the bottom of the page



**Drawer locking systems**  
partial height

Usable height mm	Art. Nr.
300	<b>33-73030</b>
450	<b>33-73045</b>
600	<b>33-73060</b>
700	<b>33-73070</b>
750	<b>33-73075</b>
900	<b>33-73090</b>
1050	<b>33-73105</b>
1225	<b>33-73122</b>
1350	<b>33-73135</b>
1525	<b>33-73152</b>



**Drawer locking systems**  
full height

Shelving height mm	Usable height mm	Art. Nr.
2000	900+950	<b>33-73200</b>
2200	900+1150	<b>33-73220</b>
2500	900+1450	<b>33-73250</b>
3000	900+1950	<b>33-73300</b>

**Standard colours:**

Ral 5012 Ral 6011 Ral 7035




**i** Load capacity is intended for evenly distributed loads

**i** All components are supplied with fixings

## 36 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Art. Nr.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



### Card insert and cellophane (spare part)


For drawers: 36 Eh Art. Nr. 06-00365  
Kit: 30 pieces



Partitioning material see page 67

## 45 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.


Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Art. Nr.
50 S	36	33	60	10-43050
75 S	61	52	80	10-43075
75 T	54	52	200	10-43076
100 S	86	77	100	10-43100
100 T	79	77	200	10-43101
125 S	111	77	100	10-43125
125 T	104	77	200	10-43126
150 S	136	127	100	10-43150
150 T	129	127	200	10-43151
200 S	186	177	100	10-43200
200 T	179	177	200	10-43201
250 T	229	177	200	10-43251
300 S	286	277	100	10-43300
300 T	279	277	200	10-43301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



### Card insert and cellophane (spare part)

For drawers: 45 Eh Art. Nr. 06-00455  
Kit: 30 pieces



Partitioning material see page 79

### Standard colours:


Ral 5012 Ral 6011 Ral 7035






# Series 33

# 36 Eh



**54 x 36 Eh**

**Drawers**



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Art. Nr.
50 S	36	33	60	10-53050
75 S	61	52	80	10-53075
75 T	54	52	200	10-53076
100 S	86	77	100	10-53100
100 T	79	77	200	10-53101
125 S	111	77	100	10-53125
125 T	104	77	200	10-53126
150 S	136	127	100	10-53150
150 T	129	127	200	10-53151
200 S	186	177	100	10-53200
200 T	179	177	200	10-53201
250 T	229	177	200	10-53251
300 S	286	277	100	10-53300
300 T	279	277	200	10-53301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page




**Card insert and cellophane (spare part)**

For drawers: 54 Eh Art. Nr. **06-00545**  
Kit: 30 pieces




**Partitioning material see page 99**



**64 x 36 Eh**

**Drawers**



Made of high-quality sheet steel.


Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Art. Nr.
75 T	54	52	200	10-63076
100 T	79	77	200	10-63101
125 T	104	77	200	10-63126
150 T	129	127	200	10-63151
200 T	179	177	200	10-63201
250 T	229	177	200	10-63251
300 T	279	277	200	10-63301

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



**Card insert and cellophane (spare part)**

For drawers: 64 Eh Art. Nr. **06-00645**  
Kit: 30 pieces



**Partitioning material see page 104**


**Standard colours:**

Ral 5012 Ral 6011 Ral 7035



## 78 x 36 Eh

### Drawers



Made of high-quality sheet steel.  
Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer-handles are equipped with aluminium profiles, end caps and labelling strips

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Art. Nr.
75 T	54	52	200	<b>10-73076</b>
100 T	79	77	200	<b>10-73101</b>
125 T	104	77	200	<b>10-73126</b>
150 T	129	127	200	<b>10-73151</b>
175 T	154	127	200	<b>10-73176</b>
200 T	179	177	200	<b>10-73201</b>
250 T	229	177	200	<b>10-73251</b>
300 T	279	277	200	<b>10-73301</b>

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle


Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



**Card insert and cellophane (spare part)**  
For drawers: 78 Eh Art. Nr. **06-00785**  
Kit: 30 pieces



**Partitioning material see page 110**



Made of high-quality sheet steel.  
Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Height mm	Bay width mm	Eh	Load capacity kg *	Extension %	Art. Nr.
75	714	36	100	85	<b>10-33984</b>
75	714	36	200	100	<b>10-33985</b>
75	867	45	100	85	<b>10-43984</b>
75	867	45	200	100	<b>10-43985</b>
75	1020	54	100	85	<b>10-53984</b>
75	1020	54	200	100	<b>10-53985</b>
75	1190	64	200	100	<b>10-63985</b>
75	1428	78	200	100	<b>10-73985</b>

\* with load evenly distributed

Colours: see colour chart at the bottom of the page

#### Standard colours:

Ral 5012 Ral 6011 Ral 7035





**Tool holder frames  
for drawer**  
Made of steel

**C Tool holder frame**


Width mm	Depth mm	Depth Eh	No. of row	Art. Nr.
584	596	36x36	4	<b>30-43436</b>
737	596	45x36	4	<b>30-43445</b>
890	596	54x36	4	<b>30-43454</b>
1060	596	64x36	4	<b>30-43464</b>

Colour: Light grey RAL 7035

**D Frame support, pair**

For taper length mm	Height mm	Depth 36 Eh Art. Nr.
80-160	135-165	<b>30-43410</b>
185-220	195-225	<b>30-43417</b>

Colour: Light grey RAL 7035



**Standard colours:**


Ral 5012 Ral 6011 Ral 7035



## Tool holders



Tool type	RED Art. Nr.	No. of tools per tool holder	No. of tools per cradle Art. Nr 30-43436	No. of tools per frame Art. Nr 30-43445	No. of tools per frame Art. Nr 30-43454	No. of tools per frame Art. Nr 30-43464
ISO-SK 25	30-51025	4	20	24	32	36
ISO-SK 30	30-51030	1	32	40	52	60
ISO-SK 40	30-51040	1	32	40	52	60
ISO-SK 45	30-51045	1	24	32	40	48
ISO-SK 50	30-51050	1	20	24	32	40
HSK 32	30-51432	1	32	48	56	68
HSK 40	30-51440	1	32	48	56	68
HSK 50	30-51450	1	32	48	56	68
HSK 63	30-51463	1	32	40	52	60
HSK 80	30-51480	1	24	32	36	44
HSK 100	30-51499	1	20	24	32	36
CAPTO C3	30-51603	4	16	20	28	32
CAPTO C4	30-51604	1	32	48	56	68
CAPTO C5	30-51605	1	32	48	56	68
CAPTO C6	30-51606	1	28	38	44	52
CAPTO C8	30-51608	1	24	32	26	36
VDI 20	30-51120	1	32	48	56	68
VDI 30	30-51130	1	32	40	52	60
VDI 40	30-51140	1	32	40	48	60
VDI 50	30-51150	1	24	32	40	48
VDI 60	30-51160	1	20	24	32	40
58 mm	30-50058	-	32	48	56	68
65 mm	30-50065	-	32	40	52	60
75 mm	30-50075	-	28	36	44	52
87 mm	30-50087	-	24	32	36	44
105 mm	30-50105	-	20	24	32	36
120 mm	30-50120	-	16	20	28	32




**Leaf doors**

Made of high-quality sheet steel. Equipped with safety cylinder lock with 2 keys.

This door cannot be fitted directly next to roller shutter or sliding doors.


Shelving system height mm	Bay width 36 Eh	Bay width 45 Eh	Bay width 54 Eh	Bay width 64 Eh	Bay width 78 Eh
	Art. Nr.	Art. Nr.	Art. Nr.	Art. Nr.	Art. Nr.
<b>Starter bay</b>					
1000	32-33100	32-34100	32-35100	32-36100	32-37100
2000	32-33200	32-34200	32-35200	32-36200	32-37200
2200	32-33220	32-34220	32-35220	32-36220	32-37220
2500	32-33250	32-34250	32-35250	32-36250	32-37250
<b>Extension bay</b>					
1000	32-33100-A	32-34100-A	32-35100-A	32-36100-A	32-37100-A
2000	32-33200-A	32-34200-A	32-35200-A	32-36200-A	32-37200-A
2200	32-33220-A	32-34220-A	32-35220-A	32-36220-A	32-37220-A
2500	32-33250-A	32-34250-A	32-35250-A	32-36250-A	32-37250-A

Colours: see colour chart at the bottom of the page



## **A** Roller shutter doors

Ideal for areas where access is restricted. Fully lockable vertical units fitted to upper part of shelving system, consisting of robust metal housing and plastic horizontal profiles with hand grip for easy operation. Equipped with safety cylinder lock with 2 keys.



This door cannot be fitted directly next to sliding or leaf doors.

## **A** Roller shutter doors

Shelving system height mm	Bay width 36 Eh	Bay width 2x36 Eh	Bay width 45 Eh
	Art. Nr.	Art. Nr.	Art. Nr.
2000	32-43200	32-47200	32-44200
2200	32-43220	32-47220	32-44220
2500	32-43250	32-47250	32-44250

Shelving system height mm	Bay width 54 Eh	Bay width 64 Eh	Bay width 78 Eh
	Art. Nr.	Art. Nr.	Art. Nr.
2000	32-45200	32-46200	32-47200
2200	32-45220	32-46220	32-47220
2500	32-45250	32-46250	32-47250

Colour of plastic profiles: Light grey

Colour of roller shutter housing: see colour chart at the bottom of the page

## **B** Side panels for roller shutter doors

Shelving system height mm	Right side 36 Eh	Left side 36 Eh
	Art. Nr.	Art. Nr.
2000	32-72200	32-72201
2200	32-72220	32-72221
2500	32-72250	32-72251


Colours: see colour chart at the bottom of the page

### Standard colours:

Ral 5012 Ral 6011 Ral 7035




All components are supplied with fixings



### Sliding doors

110 mm

Made of high-quality sheet steel. Positioned over 2 bays, sliding doors run on sealed-roller bearings in tracks fitted to the top and the bottom of the shelving unit. Equipped with safety lock and 2 keys.

 This door cannot be fitted directly next to roller shutter or leaf doors.

### Central panels for uprights

Made of high-quality sheet steel

To be fitted into the uprights, ideal for closing internal sections with drawers and shelves.

Height mm	Depth mm	Width mm	Art. Nr.
1000	706	53	33-79110
1450	706	53	33-79145
2000	706	53	33-79120
2200	706	53	33-79122
2500	706	53	33-79125
3000	706	53	33-79130

Colours: see colour chart at the bottom of the page

### A Sliding doors


Shelving system height mm	Bay width 2x36 Eh	Bay width 2x45 Eh	Bay width 2x54 Eh	Bay width 2x64 Eh	Bay width 2x78 Eh
	Art. Nr.	Art. Nr.	Art. Nr.	Art. Nr.	Art. Nr.
1000	32-23100	32-24100	32-25100	32-26100	32-27100
2000	32-23200	32-24200	32-25200	32-26200	32-27200
2200	32-23220	32-24220	32-25220	32-26220	32-27220
2500	32-23250	32-24250	32-25250	32-26250	32-27250

Colours: see colour chart at the bottom of the page

### B Finishing cover panels for sliding doors

Shelving height mm	Art. Nr.
1000	32-20100
2000	32-20200
2200	32-20220
2500	32-20250


Colours: see colour chart at the bottom of the page



### Work surfaces

in Multiplex

Bay width mm	Eh	Usable width mm	Usable depth mm	Thickness mm	Art. Nr.
714	36	661	705	40	33-72336
867	45	814	705	40	33-72345
1020	54	967	705	40	33-72354
1190	64	1137	705	40	33-72364
1428	78	1375	705	40	33-72378



### Standard colours:

Ral 5012 Ral 6011 Ral 7035

